AQUATICA™

Digital

New 2016 revised version

NIKON LENS CHART

Use this chart with the following Nikon based camera models: D300s
D2x
D40/D40x/D60
D100
D70 / D70s
Fuji S2 Pro

TYPE 1

AQUATICA™ Digital

TYPE 1 FOR NIKON

4" dome port lens chart (# 18410)

* Neoprene cover # 18508 included with port

Camera Lens	Gear Zoom	Gear Focus	Port Extension
Nikon AF 10,5mm f/2,8 G ED DX	N/R	18699	N/R
Nikon AF 16mm f/2.8 D	(*1)		
Sigma 10mm f/2.8 EX DC HSM Fisheye	(*2)		
Sigma 15mm f/2.8 EX DG FISHEYE	(*2)		
Tokina AT-X 10-17mm f/3.5-4.5 AF DX fisheye	18717	AF Only	48456
Tokina AT-X 10-17mm f/3.5-4.5 AF DX Fisheye + 1.4x TC	18731	AF Only	48453

OPTIONAL ACCESSORIES

Dome Shade	Dome Shade Cover	Rear Port Cover
Built-in	Included	18790
Built-in	Included	18790
Built-in	Included	18790

(*1) This lens does not focus close enough to be used with this dome port.
(*2) The protubing length of this lens shade prohibits using it with this dome port, damages could results to the internal surface of the dome lens
N/R= Not Required

Revised March 08, 2016

6" dome port lens chart (# 18409)

* Neoprene cover # 18502 included with port

Camera Lens	Gear Zoom	Gear Focus	Port Extension
Nikon AF 10,5mm f/2,8 G ED DX	N/R	18699	N/R
Nikon AF 16mm f/2.8 D	N/R	18689	N/R
Nikon AF 18mm f/2.8	N/R	AF Only	48456
Nikon AF 20mm f/2.8	N/R	AF Only	N/R
Nikon AF 24mm f/2.8 D	N/R	AF Only	N/R
Nikon AF 28mm f/2.8 D	N/R	AF Only	N/R
Nikon AF 18-55mm f/3.5-5.6G ED **VR**	18721	AF Only	48463
Nikon AF 18-55mm f/3.5-5.6G ED II	18718	AF Only	48463
Nikon AF 18-70mm f/:3,5-4,5 G ED (*1)	18696	AF Only	48453
Sigma 4.5mm f/2.8 EX DC HSM Circular Fisheye	N/R	AF Only	48456
Sigma 8mm f/3.5 EX DC HSM Circular Fisheye	N/R	AF Only	48456
Sigma 10mm f/2.8 EX DG HSM Fisheye	N/R	AF Only	N/R
Sigma 15mm f/2.8 EX DG FISHEYE	N/R	18715	N/R
Sigma 17-70mm f/2.8-4.5 DC MACRO **HSM** ***(2)**	18719	AF Only	48462
Sigma 17-70mm f/2.8-4 DC MACRO **HSM (OS)** ***(2)**	18719	AF Only	48462
Sigma 17-70mm f/2.8-4 DC MACRO **HSM (OS) ©** ***(2)**	19008	AF Only	48462
Tokina AT-X 10-17mm f/3.5-4.5 AF DX fisheye	18717	AF Only	48456
Tokina AT-X 10-17mm f/3.5-4.5 AF DX Fisheye + 1.4x TC	18731	AF Only	48453

OPTIONAL ACCESSORIES

Dome Shade	Dome Shade Cover	Rear Port Cover
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
N/R	N/R	18790
N/R	N/R	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790

(*1) this lens requires a +4 diopter to focus on the virtual image of the dome
(*2) There are multiple version of this lens, please confirm that your lens actually fits the right description.
N/R= Not Required

Revised September 10, 2014

http://www.aquatica.ca/en/charts/nikon_type_1.pdf

AQUATICA™ Digital

TYPE 1 FOR NIKON

8" dome port lens chart (# 18405)

* Neoprene cover # 18500 included with port

Camera Lens		Gear Zoom	Gear Focus	Port Extension	Dome Shade	Dome Shade Cover	Rear Port Cover
Nikon AF 10,5mm f/2,8 G ED DX		N/R	18699	N/R	18480	18503,1	18790
Nikon AF 14mm f/2.8D ED		N/R	18693	48456	18480	18503,1	18790
Nikon AF 16mm f/2.8 D		N/R	18689	N/R	18480	18503,1	18790
Nikon AF 18mm f/2.8		N/R	AF Only	48456	18480	18503,1	18790
Nikon AF 20mm f/2.8		N/R	AF Only	N/R	18480	18503,1	18790
Nikon AF 24mm f/2.8 D		N/R	AF Only	N/R	18480	18503,1	18790
Nikon AF 28mm f/2.8 D		N/R	AF Only	N/R	18480	18503,1	18790
Nikon AF-S 10-24mm f/3.5-4.5G IF-ED DX		18696	AF Only	48462	18480	18503,1	18790
Nikon AF-S 12-24mm f/4G IF-ED DX		18696	AF Only	48462	18480	18503,1	18790
Nikon AF-S 14-24mm f/2.8G ED NIKKOR	(*2)	18722	AF Only	48458	18480	18503,1	18790
Nikon AF-S 16-35mm f/4 G ED VR		18728	AF Only	48458	18480	18503,1	18790
Nikon AF-S 16-85mm f/3.5-5.6 G ED VR DX	(*1)	18696	AF Only	48462	18480	18503,1	18790
Nikon AF-S 16-85mm f/3.5-5.6 G ED VR DX **II**	(*1)	18729	AF Only	48462	18480	18503,1	18790
Nikon AF-S 17-35mm f/2,8D IF-ED		18690	AF Only	48458	18480	18503,1	18790
Nikon AF-S 17-55MM f/2.8 ED-IF		18711	AF Only	48457	18480	18503,1	18790
Nikon AF-S 18-35mm f/3,5-4,5G ED		19007	AF Only	48457	18480	18503,1	18790
Nikon AF 18-55mm f/3.5-5.6G ED **VR**		18721	AF Only	48463	18480	18503,1	18790
Nikon AF 18-55mm f/3.5-5.6G ED II		18718	AF Only	48463	18480	18503,1	18790
Nikon AF 18-70mm f/:3,5-4,5 G ED	(*1)	18696	AF Only	48453	18480	18503,1	18790
Nikon AF-S 18-105mm f/3.5-5.6G ED VR (*1)		18727	AF Only	48457	18480	18503,1	18790
Nikon AF-S 24-70mm f/2.8 G		18722	AF Only	48454	18480	18503,1	18790
Sigma 4.5mm F2.8 EX DC HSM Circular Fisheye		N/R	AF Only	48456	N/R	N/R	18790
Sigma 8mm F3.5 EX DG Circular Fisheye		N/R	AF Only	48456	N/R	N/R	18790
Sigma 10mm f/2.8 EX DG HSM Fisheye		N/R	AF Only	N/R	18480	18503,1	18790
Sigma 10-20mm f/3.5 EX DC HSM		18770	AF Only	48462	18480	18503,1	18790
Sigma 10-20mm f/4-5.6 EX DC HSM		18698	AF Only	48456	18480	18503,1	18790
Sigma 14mm f/2.8 EX ASPHERICAL HSM		N/R	AF Only	48462	18480	18503,1	18790
Sigma 15mm f/2.8 FISHEYE		N/R	18715	N/R	18480	18503,1	18790
Sigma 17-70mm f/2.8-4.5 DC MACRO **HSM**	**(*3)**	18719	AF Only	48462	18480	18503,1	18790
Sigma 17-70mm f/2.8-4 DC MACRO **HSM (OS)**	**(*3)**	18719	AF Only	48462	18480	18503,1	18790
Sigma 17-70mm f/2.8-4 DC MACRO **HSM (OS) ©**	**(*3)**	19008	AF Only	48462	18480	18503,1	18790
Tokina AT-X 10-17mm f/3.5-4.5 AF DX fisheye		18717	AF Only	48456	18480	18503,1	18790
Tokina AT-X 10-17mm f/3.5-4.5 AF DX Fisheye + 1.4x TC		18731	AF Only	48453	18480	18503,1	18790
Tokina AT-X 11-16mm f/2.8 AF PRO DX		18722	AF Only	48453	18480	18503,1	18790
Tokina AT-X 12-24mm f/4 AF PRO DX		18722	AF Only	48453	18480	18503,1	18790

OPTIONAL ACCESSORIES

(*1) This lens requires a +3 diopter to focus on the virtual image of the dome
(*2) Pre 2008 port may not fit this lens due to the oversized nature of this lens.
(*3) There are multiple versions of this lens, please confirm that your lens actually fits this description
N/R = Not Required

Revised March 29, 2016

http://www.aquatica.ca/en/charts/nikon_type_1.pdf

AQUATICA™ Digital

9.25" dome port lens chart (# 18407)

* Neoprene cover # 18506 included with port

Camera Lens		Gear Zoom	Gear Focus	Port Extension
Nikon AF 10,5mm f/2,8 G ED DX		N/R	18699	N/R
Nikon AF 14mm f/2.8D ED		N/R	18693	48456
Nikon AF 16mm f/2.8 D		N/R	18689	N/R
Nikon AF 18mm f/2.8		N/R	AF Only	48456
Nikon AF 20mm f/2.8		N/R	AF Only	N/R
Nikon AF 24mm f/2.8 D		N/R	AF Only	N/R
Nikon AF 28mm f/2.8 D		N/R	AF Only	N/R
Nikon AF-S 10-24mm f/3.5-4.5G IF-ED DX		18696	AF Only	48462
Nikon AF-S 12-24mm f/4G IF-ED DX		18696	AF Only	48462
Nikon AF-S 14-24mm f/2.8G ED NIKKOR	(*2)	18722	AF Only	48458
Nikon AF-S 16-35mm f/4 G ED VR		18728	AF Only	48458
Nikon AF-S 16-85mm f/3.5-5.6 G ED VR DX	(*1)	18696	AF Only	48462
Nikon AF-S 16-85mm f/3.5-5.6 G ED VR DX **II**	(*1)	18729	AF Only	48462
Nikon AF-S 17-35mm f/2,8D IF-ED		18690	AF Only	48458
Nikon AF-S 17-55MM f/2.8 ED-IF		18711	AF Only	48457
Nikon AF-S 18-35mm f/3,5-4,5G ED		19007	AF Only	48457
Nikon AF 18-55mm f/3.5-5.6G ED **VR**		18721	AF Only	48463
Nikon AF 18-55mm f/3.5-5.6G ED II		18718	AF Only	48463
Nikon AF 18-70mm f/:3,5-4,5 G ED	(*1)	18696	AF Only	48453
Nikon AF-S 18-105mm f/3.5-5.6G ED VR (*1)		18727	AF Only	48457
Nikon AF-S 24-70mm f/2.8 G		18722	AF Only	48454
Sigma 10mm f/2.8 EX DC HSM Fisheye		N/R	AF Only	N/R
Sigma 10-20mm f/3.5 EX DC HSM		18770	AF Only	48462
Sigma 10-20mm f/4-5.6 EX DC HSM		18698	AF Only	48456
Sigma 14mm f/2.8 EX ASPHERICAL HSM		N/R	AF Only	48462
Sigma 15mm f/2.8 EX DG FISHEYE		N/R	18715	N/R
Sigma 17-70mm f/2.8-4.5 DC MACRO **HSM**	**(*3)**	18719	AF Only	48462
Sigma 17-70mm f/2.8-4 DC MACRO **HSM (OS)**	**(*3)**	18719	AF Only	48462
Sigma 17-70mm f/2.8-4 DC Macro **HSM_(OS)_©**	**(*3)**	19008	AF Only	48462
Tokina AT-X 10-17mm f/3.5-4.5 AF DX fisheye		18717	AF Only	48456
Tokina AT-X 10-17mm f/3.5-4.5 AF DX Fisheye + 1.4x TC		18731	AF Only	48453
Tokina AT-X 11-16mm f/2.8 AF PRO DX		18722	AF Only	48453
Tokina AT-X 12-24mm f/4 AF PRO DX		18722	AF Only	48453

OPTIONAL ACCESSORIES

Dome Shade	Dome Shade Cover	Rear Port Cover
Integrated to dome port	# 18506 included with dome port	18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790
		18790

(*1) This lens requires a +3 diopter to focus on the virtual image of the dome
(*2) Pre 2008 port may not fit this lens due to the oversized nature of this lens.
(*3) There are multiple versions of this lens, please confirm that your lens actually fits this description
N/R = Not Required

Revised March 08, 2016

http://www.aquatica.ca/en/charts/nikon_type_1.pdf

AQUATICA™ Digital

Nikon Type 2 lens chart

**** This port is equipped with a manual focusing knob ****

AF/MF Macro Port (#18426)

*** Neoprene front cover # 18505 included with port**

Camera lens	Gear Focus	Extension
Nikon AF Micro 60mm f/2.8D (*1)	18670	N/R
Nikon AF-S Micro 60mm f/2.8G ED	18728	N/R
Nikon AF-S Micro 85mm f3.5G ED VR	18728	N/R
Nikon AF Micro 105mm f/2.8D (*2)	18679	18462
Nikon AF-S Micro 105mm f/2.8G ED VR (*3)	18712.1	18453
Nikon AF Micro f/4D IF-ED	18656	18454
Sigma 50mm F2.8 EX Macro	AF Only	N/R

OPTIONAL ACCESSORIES

Neoprene cover	Replacement lens Acrylic	Replacement lens BK7a glass	Rear Cover
18505 (included)	18582	18583	18790
	18582	18583	18790
	18582	18583	18790
	18582	18583	18790
	18582	18583	18790
	18582	18583	19790
	18582	18583	18790

(*1) This lens can alternate between AF & MF by using the optional AF/MF focus selector gear 18682
(*2) This lens can alternate between AF & MF by using the optional AF/MF focus selector gear 18683
(*3) The shorter 18463 (21.5mm) can also be used with this lens, recommended when using wet close-up diopter lens
N/R = Not Required

Revised September 10, 2014

AF Macro Port (#18428)

*** Neoprene front cover # 18505 included with port**

Camera lens	Gear Focus	Extension
Nikon AF Micro 60mm f/2.8D	AF Only	N/R
Nikon AF-S Micro 60mm f/2.8G ED	AF Only	N/R
Nikon AF-S Micro 85mm f3.5G ED VR	AF Only	N/R
Nikon AF Micro 105mm f/2.8D	AF Only	18462
Nikon AF-S Micro 105mm f/2.8G ED VR (*3)	AF Only	18453
Nikon AF Micro f/4D IF-ED	AF Only	18454
Sigma 50mm F2.8 EX Macro	AF Only	N/R

OPTIONAL ACCESSORIES

Neoprene cover	Replacement lens Acrylic	Replacement lens BK7a glass	Rear Cover
18505 (included)	18582	18583	18790
	18582	18583	18790
	18582	18583	18790
	18582	18583	18790
	18582	18583	18790
	18582	18583	18790
	18582	18583	18790

(*3) The shorter 18463 (21.5mm) can also be used with this lens, recommended when using wet close-up diopter lens

Revised September 10, 2014

http://www.aquatica.ca/en/charts/nikon_type_2.pdf