


AQUATICA™

Digital

Lens chart for Aquatica housing for Nikon
(For Nikon D300, D200, D90 & D80)

TYPE 2



AQUATICA™ TYPE 2 FOR NIKON

Digital

For Nikon D300, D200, D80 & D90

4" dome port lens chart (# 18410)

| Camera Lens | 18405 8" dome Port | | Zoom (Z) |
|--|--------------------|------------|-------------------|
| | EXTENSION | Dome Shade | Focus (F) GEAR |
| Nikon AF 10,5mm f/2,8 G ED DX Fisheye | Not needed | Built in | (F) 18699 |
| Nikon AF-D 16mm f/2,8 Fisheye | Not usable (*2) | | |
| Sigma 10mm F2.8 EX DC HSM Fisheye | Not usable (*1) | | |
| Sigma 15mm f/2.8 Fisheye | Not usable (*1) | | |
| Tokina AT-X 10-17mm f/3.5-4.5 AF DX Fisheye | 18456 | Built in | (Z) 18722 |
| Tokina AT-X 10-17mm f/3.5-4.5 AF DX Fisheye + 1.4x converter | 18453 | Built in | (Z) 18731 |

(*1) Due to the length of the lens shade, it is impossible to use this lens with the # 18410 dome port

(*2) Due to the minimum focusing distance being too far, it is impossible to use this lens with the # 18410 dome port

Macro port lens chart (# 18426 & 18428)

The 18426 AF/MF Macro Port is equipped with a focus knob that allows manual focusing when combined with a focus gear on the lens

The 18428 AF Macro port was designed to be operated in Autofocus mode

| Camera Lens | 18428 & 18426 | 18426 | 18428 |
|---|---------------|---------------------|----------------|
| | EXTENSION | GEAR | GEAR |
| Nikon AF Micro 60mm F2.8 (*3) | Not needed | (F)18670/(*)3)18682 | Use in AF only |
| Nikon AF-S Micro 60mm f/2.8G ED NEW | Not needed | (F) 18728 | Use in AF only |
| Nikon AF-S Micro 85mm f/3.5 G ED VR NEW | Not Needed | (F) 18728 | Use in AF only |
| Nikon AF Micro 105mm F2.8 (*4) | 18462 | (F)18679/(*)4)18683 | Use in AF only |
| Nikon AF-S Micro 105MM f/2.8 G ED-IF VR, NEW | 18453 | (F)18712.1 | Use in AF only |
| Nikon AF Micro 200mm F/4 D | 18454 | (F)18656 | Use in AF only |
| Nikon AF Micro 70-180 mm f/4.5-5.6D ED | 18454 | (F)18691/(Z)18692 | Use in AF only |
| Sigma 50mm F2.8 EX MACRO | Not needed | (F)18701 | Use in AF only |

(*3) Auto/manual focus selector available 18682, (*4) Auto/manual focus selector available 18683

Updated April 21, 2010

AQUATICA™

Digital

TYPE 2 FOR NIKON

For Nikon D300, D200, D80 & D90

6" dome port lens Chart (#18409)

| Camera Lens | EXTENSION | Dome Shade | GEAR Zoom (Z) or Focus (F) |
|--|------------|------------|-------------------------------|
| Nikon AF 10,5mm f/2.8 G ED DX | Not needed | 18484 | (F)18699 |
| Nikon AF 14mm f/2.8D ED | NR | | |
| Nikon AF 16mm f/2.8 D | Not needed | 18484 | (F)18689 |
| Nikon AF 18mm f/2.8 | NR | | |
| Nikon AF 20mm f/2.8 | Not needed | 18484 | (F)18674 |
| Nikon AF 24mm f/2.8 D | Not needed | 18484 | (F)18686 |
| Nikon AF 28mm f/2.8 D | Not needed | 18484 | (F)18686 |
| Nikon AF-S 10-24mm f/4G IF-ED DX | NR | | |
| Nikon AF-S 12-24mm f/4G IF-ED DX | NR | | |
| Nikon AF-S 14-24mm f/2.8G ED NIKKOR (*2) | NR | | |
| Nikon AF-S 16-35mm f/4 G ED VR DX | NR | | |
| Nikon AF-S 16-85mm f/3.5-5.6 G ED VR DX (*1) | 18457 | 18484 | (Z) 18696 |
| Nikon AF-S 16-85mm f/3.5-5.6 G ED VR DX II (*1) | 18457 | 18484 | (Z) 18729 |
| Nikon AF-S 17-35mm f/2,8D IF-ED | NR | | |
| Nikon AF-S 17-55MM f/2.8 ED-IF | NR | | |
| Nikon AF 18-35mm f/3.5-4.5 D IF ED | 18453 | 18484 | (Z)18694 |
| Nikon AF 18-55mm f/3.5-5.6G ED VR | 18463 | 18484 | (Z) 18721 |
| Nikon AF 18-55mm f/3.5-5.6G ED II | 18463 | 18484 | (Z) 18718 |
| Nikon AF 18-70mm f/:3,5-4,5 G ED (*1) | 18453 | 18484 | (Z)18696 |
| Nikon AF-S 18-105mm f/3.5-5.6G ED VR (*1) | NR | | |
| Nikon AF 20-35mm f/2.8 D (*1) | 18453 | 18484 | (Z)18675 |
| Nikon AF 24-50mm f/3.3-4.5 D (*1) | 18453 | 18484 | (Z)18673 |
| Nikon AF-S 24-70mm f/2.8 G | NR | | |
| Nikon AF-S 28-70mm f/2.8 D (*1) | NR | | |
| Nikon AF 28-70mm f/3.5-4.5 D (*1) | 18453 | 18484 | (Z)18673 |
| Nikon AF 28-85mm f/3.5-4.5 (*1) | 18462 | 18484 | (Z)18675 |
| Sigma 10-20mm f/3.5 EX DC HSM | 18453 | 18484 | (Z)18770 |
| Sigma 10-20mm f/4-5.6 EX DC HSM | 18453 | 18484 | (Z)18698 |
| Sigma 14mm f/2.8 EX ASPHERICAL HSM | NR | | |
| Sigma 15mm f/2.8 FISHEYE | Not needed | 18484 | (F)18715 |
| Sigma 15-30mm f/3.5-4.5 EX DG | NR | | |
| Sigma 17-70mm f/2.8-4.5 DC MACRO HSM | 18462 | 18484 | (Z)18719 |
| Sigma 17-70mm f/2.8-4.5 DC MACRO HSM (OS) | 18462 | 18484 | (Z)18719 |
| Sigma 17-70mm f/2.8-4.5 DC MACRO | 18462 | 18484 | (Z)18716 |
| Tokina AT-X 10-17mm f/3.5-4.5 AF DX fisheye | 18456 | 18484 | (Z)18717 |
| Tokina AT-X 12-24mm f/4 AF PRO DX | NR | | |
| Tokina AT-X 11-16mm f/2.8 AF PRO DX | NR | | |

NR = This lens not recommended for use with this port

(*1) +3 diopter needed for 9.25" dome port

(*2) Older pre 2008 port may not fit due to the oversized nature of this lens.

AQUATICA™ TYPE 2 FOR NIKON

Digital

For Nikon D300, D200, D80 & D90

8" dome port lens chart (# 18405)

| Camera Lens | 18405 8" dome Port | | Zoom (Z) or Focus (F) GEAR |
|--|--------------------|------------|-------------------------------|
| | EXTENSION | Dome Shade | |
| Nikon AF 10,5mm f/2,8 G ED DX | Not needed | 18480 | (F) 18699 |
| Nikon AF 14mm f/2.8D ED | 18456 | 18480 | (F) 18693 |
| Nikon AF 16mm f/2.8 D | Not needed | 18480 | (F) 18689 |
| Nikon AF 18mm f/2.8 | 18456 | 18480 | (F) 18680 |
| Nikon AF 20mm f/2.8 | Not needed | 18480 | (F) 18674 |
| Nikon AF 24mm f/2.8 D | Not needed | 18480 | (F) 18686 |
| Nikon AF 28mm f/2.8 D | Not needed | 18480 | (F) 18686 |
| Nikon AF-S 10-24mm f/4G IF-ED DX | 18462 | 18480 | (F)18695/(Z)18696 |
| Nikon AF-S 12-24mm f/4G IF-ED DX | 18462 | 18480 | (F)18695/(Z)18696 |
| Nikon AF-S 14-24mm f/2.8G ED NIKKOR (*2) | 18458 | 18480 | (Z) 18722 |
| Nikon AF-S 16-35mm f/4 G ED VR DX | 18458 | 18480 | (Z) 18728 |
| Nikon AF-S 16-85mm f/3.5-5.6 G ED VR DX (*1) | 18462 | 18480 | (Z) 18696 |
| Nikon AF-S 16-85mm f/3.5-5.6 G ED VR DX II (*1) | 18462 | 18480 | (Z) 18729 |
| Nikon AF-S 17-35mm f/2,8D IF-ED | 18457 | 18480 | (Z) 18690 |
| Nikon AF-S 17-55MM f/2.8 ED-IF | 18457 | 18480 | (Z) 18711 |
| Nikon AF 18-35mm f/3.5-4.5 D IF ED | 18453 | 18480 | (Z) 18694 |
| Nikon AF 18-55mm f/3.5-5.6G ED <u>VR</u> | 18463 | 18480 | (Z) 18721 |
| Nikon AF 18-55mm f/3.5-5.6G ED II | 18463 | 18480 | (Z) 18718 |
| Nikon AF 18-70mm f/:3,5-4,5 G ED (*1) | 18453 | 18480 | (Z) 18696 |
| Nikon AF-S 18-105mm f/3.5-5.6G ED VR (*1) | 18457 | 18480 | (Z) 18727 |
| Nikon AF 20-35mm f/2.8 D (*1) | 18453 | 18480 | (Z) 18675 |
| Nikon AF 24-50mm f/3.3-4.5 D (*1) | 18453 | 18480 | (Z) 18673 |
| Nikon AF-S 24-70mm f/2.8 G | 18454 | 18480 | (Z) 18722 |
| Nikon AF-S 28-70mm f/2.8 D (*1) | 18458 | 18480 | (Z) 18723 |
| Nikon AF 28-70mm f/3.5-4.5 D (*1) | 18453 | 18480 | (Z) 18673 |
| Nikon AF 28-85mm f/3.5-4.5 (*1) | 18462 | 18480 | (Z) 18675 |
| Sigma 10-20mm f/3.5 EX DC HSM | 18462 | 18480 | (Z) 18770 |
| Sigma 10-20mm f/4-5.6 EX DC HSM | 18456 | 18480 | (Z) 18698 |
| Sigma 14mm f/2.8 EX ASPHERICAL HSM | 18462 | 18480 | (F) 18697 |
| Sigma 15mm f/2.8 FISHEYE | Not needed | 18480 | (F) 18715 |
| Sigma 15-30mm f/3.5-4.5 EX DG | 18457 | 18480 | (Z) 18698 |
| Sigma 17-70mm f/2.8-4.5 DC MACRO <u>HSM</u> | 18462 | 18480 | (Z) 18719 |
| Sigma 17-70mm f/2.8-4.5 DC MACRO <u>HSM (OS)</u> | 18462 | 18480 | (Z) 18719 |
| Sigma 17-70mm f/2.8-4.5 DC MACRO | 18462 | 18480 | (Z) 18716 |
| Tokina AT-X 10-17mm f/3.5-4.5 AF DX fisheye | 18456 | 18480 | (Z) 18717 |
| Tokina AT-X 11-16mm f/2.8 AF PRO DX | 18453 | 18480 | (Z) 18722 |
| Tokina AT-X 12-24mm f/4 AF PRO DX | 18453 | 18480 | (Z) 18722 |

NR = This lens not recommended for use with this port

(*1) +3 diopter needed for 8" dome port

(*2) Older pre 2008 port may not fit due to the oversized nature of this lens.

Updated April 21, 2010

AQUATICA™ TYPE 2 FOR NIKON

Digital

For Nikon D300, D200, D80 & D90

9.25" dome port lens chart (# 18407)

BK-7 coated mineral glass

| Camera Lens | EXTENSION | Dome Shade | GEAR Zoom (Z) or Focus (F) |
|--|------------|------------|-------------------------------|
| Nikon AF 10,5mm f/2.8 G ED DX | Not needed | Built in | (F)18699 |
| Nikon AF 14mm f/2.8D ED | 18453 | Built in | (F)18693 |
| Nikon AF 16mm f/2.8 D | Not needed | Built in | (F)18689 |
| Nikon AF 18mm f/2.8 | 18456 | Built in | (F)18680 |
| Nikon AF 20mm f/2.8 | Not needed | Built in | (F)18674 |
| Nikon AF 24mm f/2.8 D | Not needed | Built in | (F)18686 |
| Nikon AF 28mm f/2.8 D | Not needed | Built in | (F)18686 |
| Nikon AF-S 10-24mm f/4G IF-ED DX | 18462 | Built in | (F)18695/(Z)18696 |
| Nikon AF-S 12-24mm f/4G IF-ED DX | 18462 | Built in | (F)18695/(Z)18696 |
| Nikon AF-S 14-24mm f/2.8G ED NIKKOR (*2) | 18458 | Built in | (Z) 18722 |
| Nikon AF-S 16-35mm f/4 G ED VR DX | 18458 | Built in | (Z) 18728 |
| Nikon AF-S 16-85mm f/3.5-5.6 G ED VR DX (*1) | 18462 | Built in | (Z) 18696 |
| Nikon AF-S 16-85mm f/3.5-5.6 G ED VR DX II (*1) | 18462 | Built in | (Z) 18729 |
| Nikon AF-S 17-35mm f/2,8D IF-ED | 18458 | Built in | (Z)18690 |
| Nikon AF-S 17-55MM f/2.8 ED-IF | 18457 | Built in | (Z)18711 |
| Nikon AF 18-35mm f/3.5-4.5 D IF ED | 18453 | Built in | (Z)18694 |
| Nikon AF 18-55mm f/3.5-5.6G ED VR | 18463 | Built in | (Z) 18721 |
| Nikon AF 18-55mm f/3.5-5.6G ED II | 18463 | Built in | (Z) 18718 |
| Nikon AF 18-70mm f/:3,5-4,5 G ED (*1) | 18453 | Built in | (Z)18696 |
| Nikon AF-S 18-105mm f/3.5-5.6G ED VR (*1) | 18457 | Built in | (Z)18727 |
| Nikon AF 20-35mm f/2.8 D (*1) | 18453 | Built in | (Z)18675 |
| Nikon AF 24-50mm f/3.3-4.5 D (*1) | 18453 | Built in | (Z)18673 |
| Nikon AF-S 24-70mm f/2.8 G | 18454 | Built in | (Z) 18722 |
| Nikon AF-S 28-70mm f/2.8 D (*1) | 18458 | Built in | (Z) 18723 |
| Nikon AF 28-70mm f/3.5-4.5 D (*1) | 18453 | Built in | (Z)18673 |
| Nikon AF 28-85mm f/3.5-4.5 (*1) | 18462 | Built in | (Z)18675 |
| Sigma 10-20mm f/3.5 EX DC HSM | 18453 | Built in | (Z)18770 |
| Sigma 10-20mm f/4-5.6 EX DC HSM | 18453 | Built in | (Z)18698 |
| Sigma 14mm f/2.8 EX ASPHERICAL HSM | 18462 | Built in | (F)18697 |
| Sigma 15mm f/2.8 FISHEYE | Not needed | Built in | (F)18715 |
| Sigma 15-30mm f/3.5-4.5 EX DG | 18457 | Built in | (Z)18698 |
| Sigma 17-70mm f/2.8-4.5 DC MACRO HSM | 18462 | Built in | (Z)18719 |
| Sigma 17-70mm f/2.8-4.5 DC MACRO HSM (OS) | 18462 | Built in | (Z)18719 |
| Sigma 17-70mm f/2.8-4.5 DC MACRO | 18462 | Built in | (Z)18716 |
| Tokina AT-X 10-17mm f/3.5-4.5 AF DX fisheye | 18456 | Built in | (Z)18717 |
| Tokina AT-X 12-24mm f/4 AF PRO DX | 18453 | Built in | (Z)18722 |
| Tokina AT-X 11-16mm f/2.8 AF PRO DX | | Built in | |

NR = This lens not recommended for use with this port

(*1) +3 diopter needed for 9.25" dome port

(*2) Older pre 2008 port may not fit due to the oversized nature of this lens.

Updated April 21, 2010

